

IMPORTANT CONFIDENTIALITY NOTICE

The documents accompanying this telecopy transmission contain confidential information belonging to the sender which is legally protected. The information is intended only for the use of the individual or entity named below. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or the taking of any action in reliance on the contents of this telecopied information is strictly prohibited. If you have received this telecopy in error, please immediately notify us by telephone (collect) to arrange for return of the telecopied document to us.

TO: United States Patent and Trademark Office

Fax No. (571) 273-0299 & (571) 273-8300 Phone No. (571)

FROM: Idris N McKelvey, Esq.

The Procter & Gamble Company

Fax No. 513-945-6868

Phone No. 513-983-2309

Application No. : 09/909,288
Inventor(s) : Peter Robert Foley *et al.*
Filed : July 19, 2001
Confirmation No. : 2173
Customer No. : 27752

FACSIMILE TRANSMITTAL SHEET AND**CERTIFICATE OF TRANSMISSION UNDER 37 C.F.R. §1.8**

I hereby certify that this correspondence is being facsimile transmitted to the United States Patent and Trademark Office on December 17, 2008, to the above-identified facsimile number.

Sandy Meech (Signature)
Sandy Meech for Idris N. McKelvey

Listed below are the item(s) being submitted with this Certificate of Transmission:**

1) Confirmation of Hearing Request – 1 pg.

Number of Pages Including this Page: 2

Comments:

****Note:** Each paper must have its own certificate of transmission, OR this certificate must identify each submitted paper.

(FAX-USPTO.doc Revised 11/18/2005)

DEC 17 2008

**UNITED STATES PATENT AND TRADEMARK OFFICE**

Board of Patent Appeals and Interferences

MAILED**NOV 28 2008**U.S. PATENT AND TRADEMARK OFFICE
BOARD OF PATENT APPEALS
AND INTERFERENCES

THE PROCTER & GAMBLE
COMPANY
GLOBAL LEGAL DEPARTMENT -
IP
SYCAMORE BUILDING - 4TH
FLOOR
299 EAST SIXTH STREET
CINCINNATI, OH 45202

Appeal No: 2008-5694
Appellant: Peter Robert Foley, Howard David
Application No: ETAL
Hearing Room: 09/909,288
Hearing: A
Docket: A
Hearing Date: Thursday, January 15, 2009
Hearing Time: 09:00 AM
Location: Madison Building - East Wing
600 Dulany Street, 9th Floor
Alexandria, Virginia 22313-1450

NOTICE OF HEARING
CONFIRMATION REQUIRED WITHIN TWENTY-ONE DAYS

Your attention is directed to 37 CFR § 41.47. The above identified appeal will be heard by the Board of Patent Appeals and Interferences on the date indicated. Hearings will commence at the time set and as soon as the argument in one appeal is concluded, the succeeding appeal will be taken up. The time allowed for argument is twenty minutes unless additional time is requested and permitted before the argument is commenced. If there are any inquiries, please contact the Clerk of the Board at 571-272-9797.

The application involved in this appeal has been published. Accordingly, the hearing in this appeal is open to the public.

CONFIRMATION OR WAIVER OF THE HEARING IS REQUIRED. This form must be completed below and facsimile transmitted to both: (1) the USPTO Central fax number (official copy), and (2) the Board of Patent Appeals and Interferences fax number (courtesy copy) within TWENTY-ONE (21) DAYS from the mailing date of this notice indicating confirmation or waiver of the hearing. A copy of this notice may be alternately filed by mail if facsimile is not available.

BPAI HEARINGS FAX No: (571) 273-0299

USPTO Central Fax No: (571) 273-8300

BPAI Mailing Address: Board of Patent Appeals and Interferences
United States Patent and Trademark Office
P.O. BOX 1450
Alexandria, Virginia 22313-1450

In all communications relating to this appeal, please identify the appeal by its number.

CHECK ONE: ☒ HEARING ATTENDANCE CONFIRMED ☐ HEARING ATTENDANCE WAIVED

Signature of Attorney/Agent/Appellant

Date

Registration No.

Names of other visitors expected to accompany counsel:

For information on visitor access to hearing rooms and security procedures at the USPTO Alexandria Campus, see
http://www.uspto.gov/web/offices/dam/sgocontact/contact.htm#bpa_contacts